

Copper Building Wire

Date: September 18, 2020

Prices shown are per 1000 feet. Subject to change without notice. This sheet supersedes Sheet #09082020-R dated September 8th, 2020.

| | Size (AWG) | ROMEX® NM-B WITH GROUND | UF-B WITH GROUND |
|------------------------|------------|-------------------------|------------------|
| TWO CONDUCTOR | | | |
| Coils | 14 | \$487.67 | \$534.97 |
| | 12 | 722.37 | 819.97 |
| | 10 | 1,221.00 | 1,296.97 |
| TWO CONDUCTOR | | | |
| Spools & Reels | 14 | \$511.58 | \$558.88 |
| | 12 | 746.28 | 843.88 |
| | 10 | 1,244.91 | 1,320.88 |
| | 8 | \$1,950.09 | \$2,152.67 |
| | 6 | 2,754.16 | 3,025.72 |
| THREE CONDUCTOR | | | |
| Coils | 14 | \$649.39 | \$758.78 |
| | 12 | 991.04 | 1,151.17 |
| | 10 | 1,569.41 | 1,812.05 |
| THREE CONDUCTOR | | | |
| Spools & Reels | 14 | \$673.30 | \$782.69 |
| | 12 | 1,014.95 | 1,175.08 |
| | 10 | 1,593.32 | 1,835.96 |
| | 8 | \$2,745.35 | \$3,177.59 |
| | 6 | 4,012.09 | 4,709.04 |
| | 4 | 10,004.88 | ----- |
| | 2 | 14,998.42 | ----- |
| FOUR CONDUCTOR | | | |
| | 14 | \$973.72 | ----- |
| | 12 | 1,483.30 | ----- |
| | 10 | 2,297.50 | ----- |
| EXTRA CIRCUIT | | | |
| | 14-2-2 | \$962.75 | |
| | 12-2-2 | 1,493.07 | |

| SER | |
|-----------------|------------|
| FOUR CONDUCTOR | |
| Size (AWG) | |
| 6-6-6-6 | \$7,710.40 |
| 4-4-4-6 | 8,189.01 |
| 3-3-3-5 | 11,006.79 |
| 2-2-2-4 | 12,826.63 |
| 1-1-1-3 | 16,093.78 |
| 1/0-1/0-1/0-2 | 20,243.20 |
| 2/0-2/0-2/0-1 | 25,325.29 |
| 3/0-3/0-3/0-1/0 | 31,756.70 |
| 4/0-4/0-4/0-2/0 | 39,927.52 |

Notes:
 AWG - American Wire Gauge.
 Standard Cut Charges Apply



"Call Southwire for your industrial power cable and flexible cord products."

| SEU | | | |
|-----------------|------------|-------------|------------|
| THREE CONDUCTOR | | | |
| Size (AWG) | | Size (AWG) | |
| 10-10-10 | \$2,061.67 | 2-2-4 | \$7,775.63 |
| 8-8-8 | 2,425.34 | 2-2-2 | 8,955.61 |
| 6-6-8 | 3,226.65 | 1-1-1 | 11,824.85 |
| 6-6-6 | 3,668.10 | ----- | ----- |
| 4-4-6 | 5,101.06 | 1/0-1/0-1/0 | Call |
| 4-4-4 | 5,753.14 | 2/0-2/0-2/0 | 18,328.75 |
| 3-3-5 | 6,710.12 | 3/0-3/0-3/0 | 23,203.71 |
| 3-3-3 | 7,179.91 | 4/0-4/0-4/0 | Call |



Copper Building Wire

PRICING

Net Selling Prices will be determined by multiplying a four-decimal-place Multiplier (i.e. .9999) against the list price.

PAYMENT TERMS

Terms are 2% 10th prox. month, net end of prox. month.

ORDER ACCEPTANCE

Orders are binding only after acceptance by the General Office in Carrollton and all transactions are subject to Southwire's General Terms and Conditions. Orders will be invoiced on date of shipment.

MINIMUM ORDER

Minimum order amount is \$1,000 and can be any combination of products.

DELIVERY TERMS

Orders of 5,000 pounds or more net weight will be FOB Shipping Point, freight prepaid and allowed, within the continental United States only. Orders f.o.b. ports of Alaska or Hawaii subject to an additional shipping cost. Rates for "Prepay and Charge" orders are based on the (1994) Yellow YFSY 500M tariff with a 30% discount, with an absolute minimum charge of \$72.00.

For Prepaid Freight information for combinations of products, please see the "Southwire Standard Freight Policy" at <https://www.southwire.com/freight-policy>, or you may contact your sales representative.

RETURN GOODS REQUEST

Southwire building wire products are carefully manufactured, tested and labeled per Underwriters Laboratories specifications. Should our products prove defective, or appear to be so, please discontinue use immediately and notify us so an inspection can be made. We cannot be responsible for any damages or claims beyond the selling price of our products.

FOR ADDITIONAL INFORMATION

For product data on Southwire copper building wire see Catalog Section 1 or www.southwire.com. For General Terms and Conditions of Sale see Catalog Section 63. For additional information on these or any other Southwire products, contact your Southwire representative or Southwire Company, Building Wire Sales, in Carrollton, Georgia.



Carrollton, Georgia 30119-0001, USA
Phone: 1-800-444-1700
Fax: (770) 838-6543

