



BA57

This price sheet supersedes all previous list price sheets.

PAYMENT TERMS

Net cash 30 days from date of invoice. All applicable taxes are purchaser's responsibility. Credit subject to approval by the General Office in Carrollton, Georgia.

ORDER ACCEPTANCE

Orders are binding after acceptance by the General Office in Carrollton, and all transactions are subject to Southwire's General Terms and Conditions. Orders will be invoiced on date of shipment.

QUANTITY PRICING, DELIVERY GROUPING, MINIMUM ORDERS

When an order is shipped from one location at one time to one destination, all utility products may be grouped to satisfy Southwire's 10,000-pound delivery term. The grouping of utility and building wire products is subject to special pricing inquiry. The minimum order size for in-stock items is one standard package, reel or coil, and is subject to a minimum billing total of \$1000.00.

Orders for non-stock items are subject to minimum production requirements and will be established upon inquiry.

MANUFACTURING AND SHIPPING TOLERANCES

Standard lengths shown on this price sheet are subject to a manufacturing tolerance of -10% and +20%. Packages will be marked to show length and weight of material. Weights may vary within tolerances specified by ASTM. One standard package of specified total will be considered acceptable.

DELIVERY TERMS

Quotes are subject to and incorporate Southwire's Freight Policy and or Southwire's Energy Freight Policy, which is available on Southwire's website and or upon request from your Southwire representative.

RETURNABLE REELS

Steel Reels are often required for transportation and storage of product. Each reel will have an associated charge. Southwire will reimburse customer for the charge of the reel if reel is returned in a specified timeframe as outlined in Terms and Conditions on www.southwire.com.

ACSR Aluminum Conductor, Steel Reinforced

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL/STL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Swan	4	6/1	57.3	15414 3836	884 220	C-17 X-COIL	10-11-70-01 10-11-70-02	\$ 527.00
Swanate	4	7/1	67.0	17917 8958 3539	1200 600 237	C-18 A-10 X-COIL	10-11-88-01 10-11-88-03 10-11-88-02	\$ 498.00
Sparrow	2	6/1	91.2	19383 9691 2412	1768 884 220*	A-29 C-17 X-COIL	10-11-96-01 10-11-96-03 10-11-96-02	\$ 470.00
Sparate	2	7/1	106.6	11242 5621 2262	1198 599 241	C-18 A-10 X-COIL	10-12-04-01 10-12-04-03 10-12-04-02	\$ 455.00
Raven	1/0	6/1	145.2	12188 6091 1516	1769 884 220	A-29 C-17 X-COIL	10-12-20-01 10-12-20-03 10-12-20-02	\$ 443.00
Quail	2/0	6/1	182.8	9668 4834	1768 884	A-29 C-17	10-12-38-01 10-12-38-02	\$ 436.00
Pigeon	3/0	6/1	230.3	7670 3835	1768 884	A-29 C-17	10-12-46-01 10-12-46-02	\$ 430.00
Penguin	4/0	6/1	290.8	6081 3040	1768 884*	A-29 C-17	10-12-53-01 10-12-53-02	\$ 427.00
Waxwing	266.8	18/1	289.1	14358 7179	4154 2077	A-76 A-38	10-12-61-01 10-12-61-02	\$ 510.00
Partridge	266.8	26/7	366.9	10331	3789	A-62	10-13-45-01	\$ 532.00
Merlin	336.4	18/1	364.8	11390 5694	4155 2077	A-76 A-38	10-12-79-01 10-12-79-02	\$ 494.00
Linnet	336.4	26/7	462.0	8195	3790	A-62	10-13-60-02	\$ 490.00
Oriole	336.4	30/7	526.4	9430	4963	A-76	10-13-78-01	\$ 466.00
Chickadee	397.5	18/1	431.0	9630 4814	4151 2075	A-76 A-38	10-12-87-01 10-12-87-02	\$ 484.00
Ibis	397.5	26/7	546.3	13870 6935	7580 3790	S-120 A-62	10-13-86-01 10-13-86-02	\$ 474.00
Pelican	477.0	18/1	517.3	8028 4015	4153 2077	A-76 A-38	10-12-95-01 10-12-95-02	\$ 489.00
Flicker	477.0	24/7	613.9	10659	6541	S-120	10-14-02-01	\$ 447.00
Hawk	477.0	26/7	655.3	11560 5779	7581 3790	S-120 A-62	10-14-10-01 10-14-10-02	\$ 463.00
Hen	477.0	30/7	746.4	6648	4961	A-76	10-14-28-01	\$ 443.00
Osprey	556.5	18/1	603.3	6890 3445	4158 2079	A-76 A-38	10-13-03-01 10-13-03-06	\$ 470.00
Parakeet	556.5	24/7	716.1	4570	3272	A-62	10-14-36-02	\$ 466.00
Dove	556.5	26/7	765.2	9910 4955	7582 3791	S-120 A-62	10-14-44-01 10-14-44-02	\$ 460.00
Kingbird	636.0	18/1	689.7	6020	4152	A-76	10-13-11-01	\$ 464.00
Rook	636.0	24/7	818.2	8000 4000	6546 3273	S-120 A-62	10-14-85-01 10-14-85-02	\$ 460.00
Grosbeak	636.0	26/7	872.9	8670 4336	7581 3791	S-120 A-62	10-14-93-01 10-14-93-02	\$ 449.00

*Indicates items normally carried in stock.

Notes: "X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II.

See Packaging Information www.southwire.com

Steel core wire is galvanized Class A. Prices for B,C,AZ, & AW steel core wire are available on request.

Upon special request, ACSR is available in matched sets of reels. The variation in measured length of reels within each set shall not be greater than 150 feet.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

ACSR Aluminum Conductor, Steel Reinforced

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL/STL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Drake	795.0	26/7	1093.4	6940 3470	7585 3793	S-120 A-62	10-15-43-01 10-15-43-02	\$ 440.00
Tern	795.0	45/7	894.7	12000 6000	10739 5370	S-187 S-99	10-15-50-01 10-15-50-02	\$ 463.00
Rail	954.0	45/7	1074.0	10000	10739	S-187	10-15-92-01	\$ 430.00
Cardinal	954.0	54/7	1226.1	15600 9600	19146 11782	S-300 S-187	10-16-00-03 10-16-00-02	\$ 416.00
Ortolan	1033.5	45/7	1162.7	4615	5369	S-99	10-16-18-02	\$ 429.00
Bluejay	1113	45/7	1253.1	8569	10736	S-187	10-16-34-01	\$ 425.00
Bunting	1192.5	45/7	1342.5	7999	10739	S-187	10-16-42-01	\$ 424.00
Bittern	1272.0	45/7	1431.6	7501	10739	S-187	10-16-59-01	\$ 419.00
Pheasant	1272.0	54/19	1633.6	7175	11718	S187	10-17-66-01	\$ 424.00
Dipper	1351.5	45/7	1521.2	7060	10741	S-187	10-16-67-01	\$ 418.00
Martin	1351.5	54/19	1735.1	6756	11722	S-187	10-17-74-02	\$ 435.00
Bobolink	1431.0	45/7	1610.8	6665	10736	S-187	10-16-75-01	\$ 416.00
Lapwing	1590.0	45/7	1790.3	6000	10739	S-187	10-16-91-01	\$ 417.00
Falcon	1590.0	54/19	2042.0	9320 5740	19026 11717	S-300 S-187	10-18-08-01 10-18-08-02	\$ 430.00
Bluebird	2156.0	84/19	2507.9	7500	18815	S-300	19-42-41-01	\$ 432.00
HIGH MECHANICAL STRENGTH								
Grouse	80.0	8/1	148.8	7581	1126	C-17	10-18-16-01	\$ 484.00
Minorca	110.8	12/7	276.2	11482	3174	A-38	10-18-32-01	\$ 428.00
Dorking	190.8	12/7	472.0	6665	3170	A-38	10-18-73-01	\$ 413.00

*Indicates items normally carried in stock.

Notes:

To price sizes not listed use next smaller size with same stranding construction (e.g. 400.00 kcmil, 26/7 ACSR would be priced the same as 397.5 kcmil, 26/7 code lbis ACSR).

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Steel core wire is galvanized Class A. Prices for B,C,AZ, & AW steel core wire are available on request.

Upon special request, ACSR is available in matched sets of reels. The variation in measured length of reels within each set shall not be greater than 150 feet.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

VR2™ CABLE
ACSR VIBRATION RESISTANT CABLE

CODE WORD	EQUIVALENT SIZE AWG OR kcmil	CONST.	OUTER DIMENSIONS (INS.)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
					LENGTH PER PKG. (FT.)	WT. PER PKG. (LBS.)	SW PKG. NO.		
Swan / VR2	1	2 x #4-6/1	0.250 x 0.500	114.7	15431	1770	A-38	61-41-37-01	\$ 706.00
Swallow/VR2	1/0	2 x #3-6/1	0.281 x 0.562	144.6	12243	1770	A-38	61-41-38-01	\$ 605.00
Sparrow / VR2	2/0	2 x #2-6/1	0.316 x 0.631	182.5	9702	1770	A-38	61-41-39-01	\$ 590.00
Robin / VR2	3/0	2 x #1-6/1	0.355 x 0.710	230	7696	1770	A-38	61-41-43-01	\$ 525.00
Raven / VR2	4/0	2 x #1/0-6/1	0.398 x 0.796	290.4	6097	1770	A-38	61-39-32-01	\$ 503.00
Quail / VR2	266.2	2 x #2/0-6/1	0.447 x 0.894	365.6	4839	1770	A-38	61-42-44-01	\$ 485.00
Penguin / VR2	423.2	2 x #4/0-6/1	0.563 x 1.126	581.9	3044	1770	A-62	61-39-33-01	\$ 477.00
Waxwing / VR2	533.6	2 x 266.8-18/1	0.609 x 1.218	578.2	3059	1770	A-76	61-41-40-01	\$ 547.00
Merlin / VR2	672.8	2 x 336.4-18/1	0.684 x 1.368	729.5	2426	1770	A-76	61-41-41-01	\$ 590.00
Chickadee / VR2	795.0	2 x 397.5-18/1	0.743 x 1.486	862.1	2053	1770	A-76	61-41-42-01	\$ 575.00
Ibis / VR2	795.0	2 x 397.5-26/7	0.783 x 1.566	1092.6	1619	1770	A-99	61-41-29-01	\$ 510.00
Hawk/VR2	954.0	2 x 477-26/7	0.858 x 1.716	1310.8	1349	1770	A-99	61-41-84-01	\$ 512.00

Notes:

"X" numbers designate coils. All other packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which are not on price pages are available subject to special inquiry.

AAC All Aluminum Conductor, Bare

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Iris	2	7	62.2	22509	1400	A-29	10-08-34-01	\$ 544.00
				11255	700	C-17	10-08-34-03	
Poppy	1/0	7	98.9	14155	1401	A-29	10-08-59-01	\$ 500.00
				7082	701	C-17	10-08-59-03	
Aster	2/0	7	124.8	11223	1400	A-29	10-08-67-01	\$ 492.00
				5611	700	C-17	10-08-67-02	
Phlox	3/0	7	157.2	8902	1400	A-29	10-08-75-01	\$ 475.00
				4457	701	C-17	10-08-75-02	
Oxlip	4/0	7	198.4	7054	1399	A-29	10-08-83-01	\$ 478.00
				3529	700	C-17	10-08-83-02	
Laurel	266.8	19	250.1	7594	1899	A-38	10-09-09-02	\$ 522.00
Tulip	336.4	19	316.2	12046	3798	A76	10-09-17-01	\$ 484.00
				6020	1898	A-38	10-09-17-02	
Daffodil	350.0	19	327.9	11590	3802	A-76	14-81-22-01	\$ 507.00
Canna	397.5	19	372.9	10189	3796	A-76	10-09-25-01	\$ 471.00
				5094	1898	A-38	10-09-25-02	
Cosmos	477.0	19	446.8	8504	3802	A-76	10-09-33-01	\$ 487.00
				4254	1902	A-38	10-09-33-02	
Dahlia	556.5	19	522.5	7289	3802	A-76	10-09-41-01	\$ 474.00
				3645	1901	A-38	10-09-41-02	
Mistletoe	556.5	37	521.3	7099	3703	A-76	10-09-66-02	\$ 489.00
Meadowsweet	600	37	562.0	6585	3703	A-76	15-77-43-02	\$ 484.00
Orchid	636	37	596.0	6210	3702	A-76	10-09-74-02	\$ 477.00
Petunia	750	37	703.2	5261	3698	A-76	18-26-18-02	\$ 467.00
Arbutus	795	37	745.3	9930	7399	S-153	10-09-90-01	\$ 467.00
				4965	3700	A-76	10-09-90-02	
Magnolia	954	37	894.4	8275	7399	S-153	10-10-14-01	\$ 457.00
				4135	3697	A-76	10-10-14-02	
Bluebell	1033.5	37	970.5	7640	7401	S-153	10-10-22-01	\$ 455.00
				3820	3700	A-76	10-10-22-02	
Narcissus	1272	61	1192.1	8190	9765	S-187	10-11-05-01	\$ 439.00
				4095	4882	S-99	10-11-05-02	
Coreopsis	1590	61	1489.4	6555	9769	S-187	10-11-47-01	\$ 434.00
				3280	4888	S-99	10-11-47-02	
Lupine	2500	91	2364.7	3850	9110	S-187	18-26-75-01	\$ 441.00

Notes:

To price sizes not listed use next smaller size with same stranding construction (e.g. 400.00 kcmil, 19 strand AAC would be priced the same as 397.50 kcmil, 19 strand code Canna AAC).

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

AAAC - 6201

All Aluminum Alloy Conductor, Bare

CODE WORD	SIZE (KCMIL)	STRAND	ACSR W/ EQUIV. DIAM		NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
			SIZE	STRANDING (AL/STL)		LENGTH PER PKG (FT.)	WEIGHT PER PKG (LBS.)	SW PKG. NO.		
Alton	48.69	7	4	6/1	45.4	30630	1391	A-29	10-20-04-01	\$ 631.00
						15307	695	C-17	10-20-04-03	
Ames	77.47	7	2	6/1	72.2	19,256	1391	A-29	10-20-12-01	\$ 549.00
						9,635	696	C-17	10-20-12-03	
*Azusa	123.3	7	1/0	6/1	114.9	12,098	1391	A-29	10-20-20-01	\$ 522.00
						6045	695*	C-17	10-20-20-03	
Anaheim	155.4	7	2/0	6/1	144.9	4,803	696	C-17	10-20-38-02	\$ 512.00
Amherst	195.7	7	3/0	6/1	182.5	7623	1391	A-29	10-20-46-01	\$ 492.00
Alliance	246.9	7	4/0	6/1	230.2	6042	1391	A-29	10-20-53-01	\$ 484.00
Butte	312.8	19	266.8	26/7	291.6	6469	1887	A-38	16-84-68-01	\$ 530.00
Canton	394.5	19	336.4	26/7	367.8	10259	3774	A-76	10-20-61-01	\$ 509.00
Cairo	465.4	19	397.5	26/7	433.9	4348	1887	A-38	10-20-79-02	\$ 504.00
Darien	559.5	19	477.0	26/7	521.7	7240	3777	A-76	10-20-87-01	\$ 497.00
Elgin	652.4	19	556.5	26/7	608.3	6210	3778	A-76	10-20-95-01	\$ 492.00

*Indicates items normally carried in stock.

Notes:

To price sizes not listed use the next smaller size with same stranding construction (e.g. 400.00 kcmil, 19 strand AAAC-6201 would be priced the same as 394.5 kcmil, 19 strand code Canton AAAC-6201).

All packages are reels with PACKAGE PROTECTION TYPE II. www.southwire.com.

Products listed on data pages which are not on price pages are available subject to special inquiry.

Base price is based on standard maximum reel sizes. For smaller reels and coils add 2% to the base price.

Tie and Ground Wire

SIZE (AWG)	STRANDING	WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGES			STOCK NO.	BASE PRICE PER CWT.
			LENGTH PER PKG. (FT.)	WEIGHT PER PKG. (LBS.)	SW PKG. NO.		
*6	Solid	24.1	1037	25	K-406	13-28-52-01	\$ 575.00
*4	Solid	38.4	652	25	K-406	13-28-60-01	\$ 539.00
*2	Solid	61.0	410	25	K-406	13-28-78-01	\$ 518.00

*Indicates items normally carried in stock.

ACSS

Aluminum Conductor, Steel Supported

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL/STL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Partridge	266.8	26/7	366.5	10330	3789	A62		\$ 559.00
Linnet	336.4	26/7	462.0	16389	7580	S-120	68-79-47	\$ 518.00
Oriole	336.4	30/7	527.4	9430	4963	A76		\$ 492.00
Ibis	397.5	26/7	546.0	7583	13876	S120	47-82-48	\$ 499.00
Flicker	477.0	24/7	613.9	10659	6541	S-120		\$ 472.00
Hawk	477.0	26/7	655.3	11560	7581	S-120	68-70-61	\$ 487.00
Hen	477.0	30/7	746.4	6648	4961	A76	61-47-72	\$ 467.00
Parakeet	556.5	24/7	716.1	9140	6543	S-120	65-80-05	\$ 492.00
Dove	556.5	26/7	765.2	9910	7582	S-120	61-19-30	\$ 485.00
Rook	636.0	24/7	818.2	10000	8182	S-153	61-24-49	\$ 485.00
Grosbeak	636.0	26/7	874.2	12350	10799	S-187	50-60-22	\$ 474.00
Tern	795.0	45/7	894.7	11999	10738	S-300	67-89-04	\$ 487.00
Drake	795.0	26/7	1093.5	6940	7585	S-120	64-64-14	\$ 465.00
Rail	954.0	45/7	1074.0	13800	14819	S-300	67-89-87	\$ 479.00
Cardinal	954.0	54/7	1227.1	13000	15955	S-300	61-03-61	\$ 462.00
Ortolan	1033.5	45/7	1162.7	14200	16520	S-300	61-03-20	\$ 477.00
Curlew	1033.5	54/7	1328.8	14400	19146	S-300	68-57-50	\$ 495.00
Bluejay	1113.0	45/7	1253.5	4000	5011	A99	61-20-94	\$ 468.00
Bunting	1192.5	45/7	1342.5	11670	15665	S-300	61-12-66	\$ 470.00
Bittern	1272.0	45/7	1431.6	7501	10740	S-187	65-65-04	\$ 466.00
Pheasant	1272.0	54/19	1633.6	10000	16330	S-300	61-12-05	\$ 512.00
Dipper	1351.5	45/7	1521.3	7060	10741	S-187		\$ 465.00
Martin	1351.5	54/19	1735.0	10939	18973	S-300	67-86-98	\$ 484.00
Bobolink	1431.0	45/7	1610.8	6665	10736	S-187		\$ 462.00
Lapwing	1590.0	45/7	1790.3	6000	10739	S-187	61-14-39	\$ 464.00
Falcon	1590.0	54/19	2042.0	9800	20005	S-300	61-19-03	\$ 479.00
BlueBird	2156.0	84/19	2040.4	7000	17558	S-300	68-98-10	\$ 480.00

Notes:
 Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.
 All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.
 Please contact your sales representative for quotations.

ACSS/HS

Aluminum Conductor, Steel Supported

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL/STL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Partridge	266.8	26/7	366.8	10330	3789	A62		\$ 590.00
Linnet	336.4	26/7	462.5	16390	7580	S-120		\$ 547.00
Oriole	336.4	30/7	526.3	9430	4963	A76		\$ 518.00
Ibis	397.5	26/7	546.5	13870	7580	S-120		\$ 527.00
Flicker	477.0	24/7	613.6	10660	6541	S-120		\$ 496.00
Hawk	477.0	26/7	655.8	11560	7581	S-120		\$ 513.00
Hen	477.0	30/7	746.3	6650	4961	A76		\$ 494.00
Parakeet	556.5	24/7	715.9	9140	6543	S-120		\$ 518.00
Dove	556.5	26/7	765.1	9910	7582	S-120	61-32-54	\$ 510.00
Rook	636.0	24/7	818.2	8000	6546	S-120		\$ 510.00
Grosbeak	636.0	26/7	874.4	8670	7581	S-120		\$ 499.00
Drake	795.0	26/7	1093.0	6940	7585	S-120	61-23-94	\$ 488.00
Rail	954.0	45/7	1073.9	15000	16108	S-300		\$ 503.00
Cardinal	954.0	54/7	1227.3	15600	19146	S-300		\$ 485.00
Ortolan	1033.5	45/7	1163.4	13850	16113	S-300		\$ 502.00
Curlew	1033.5	54/7	1329.6	14400	19146	S-300		\$ 520.00
Bluejay	1113.0	45/7	1252.8	12850	16099	S-300		\$ 496.00
Bunting	1192.5	45/7	1342.4	12000	16108	S-300		\$ 495.00
Bittern	1272.0	45/7	1431.9	11250	16108	S-300		\$ 490.00
Pheasant	1272.0	54/19	1633.2	11650	19026	S-300	61-32-53	\$ 537.00
Dipper	1351.5	45/7	1521.3	10590	16110	S-300		\$ 488.00
Martin	1351.5	54/19	1735.2	10960	19018	S-300		\$ 508.00
Bobolink	1431.0	45/7	1610.8	10000	16109	S-300		\$ 485.00
Lapwing	1590.0	45/7	1789.8	9000	16109	S-300	61-20-57	\$ 487.00
Falcon	1590.0	54/19	2041.4	9320	19026	S-300		\$ 503.00
BlueBird	2156.0	84/19	2508.6	7500	18815	S-300		\$ 506.00

Notes:
 Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.
 * Designated by "/HS" (e.g. Drake/ACSS/HS).
 All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.
 Please contact your sales representative for quotations.

ACSS/HS285

Aluminum Conductor, Steel Supported

CODE WORD	SIZE (AWG OR KCMIL)	STRANDING (AL/STL)	NOMINAL WEIGHT PER 1000 FT. (LBS.)	STANDARD PACKAGE			STOCK NO.	BASE PRICE PER CWT.
				LENGTH PER PACKAGE (FT.)	WEIGHT PER PACKAGE (LBS.)	SW PKG. NO.		
Partridge	266.8	26/7	366.8	10330	3789	A62		\$ 860.00
Linnet	336.4	26/7	462.5	16390	7580	S-120	61-41-00	\$ 796.00
Oriole	336.4	30/7	526.3	9430	4963	A76		\$ 756.00
Ibis	397.5	26/7	546.5	13870	7580	S-120		\$ 768.00
Flicker	477.0	24/7	613.6	10660	6541	S-120		\$ 725.00
Hawk	477.0	26/7	655.8	11560	7581	S-120	61-36-44	\$ 752.00
Hen	477.0	30/7	746.3	6650	4961	A76		\$ 718.00
Parakeet	556.5	24/7	715.9	9140	6543	S-120		\$ 756.00
Dove	556.5	26/7	765.1	9910	7582	S-120		\$ 744.00
Rook	636.0	24/7	818.2	8000	6546	S-120		\$ 744.00
Grosbeak	636.0	26/7	874.4	8670	7581	S-120	61-68-53	\$ 730.00
Drake	795.0	26/7	1093.0	6940	7585	S-120	61-60-56	\$ 714.00
Rail	954.0	45/7	1073.9	15000	16108	S-300		\$ 735.00
Cardinal	954.0	54/7	1227.3	15600	19146	S-300		\$ 709.00
Ortolan	1033.5	45/7	1163.4	13850	16113	S-300		\$ 733.00
Curlew	1033.5	54/7	1329.6	14400	19146	S-300		\$ 759.00
Bluejay	1113.0	45/7	1252.8	12850	16099	S-300		\$ 725.00
Bunting	1192.5	45/7	1342.4	12000	16108	S-300		\$ 722.00
Bittern	1272.0	45/7	1431.9	11250	16108	S-300		\$ 716.00
Pheasant	1272.0	54/19	1633.2	11650	19026	S-300		\$ 785.00
Dipper	1351.5	45/7	1521.3	10590	16110	S-300		\$ 714.00
Martin	1351.5	54/19	1735.2	10960	19018	S-300		\$ 742.00
Bobolink	1431.0	45/7	1610.8	10000	16109	S-300		\$ 709.00
Lapwing	1590.0	45/7	1789.8	9000	16109	S-300		\$ 712.00
Falcon	1590.0	54/19	2041.4	9320	19026	S-300		\$ 735.00
BlueBird	2156.0	84/19	2508.6	7500	18815	S-300		\$ 737.00

Notes:

Base prices are for conductor with special corrosion resistant zinc-5% Aluminum-Mischmetal Alloy Coated Steel Core Wire.

* Designated by "HS285" (e.g. Drake/ACSS/HS285).

All packages are reels with PACKAGE PROTECTION TYPE II. See Packaging Information www.southwire.com.

Please contact your sales representative for quotations.